

December 2002

Free Speech for Tourists

Michael Dittenbach

Electronic Commerce Competence Center, Wien

Dieter Merkl

Institut für Softwaretechnik und Interaktive Systeme, Technische Universität Wien, Austria

Helmut Berger

Electronic Commerce Competence Center, Wien

Follow this and additional works at: <http://aisel.aisnet.org/acis2002>

Recommended Citation

Dittenbach, Michael; Merkl, Dieter; and Berger, Helmut, "Free Speech for Tourists" (2002). *ACIS 2002 Proceedings*. 39.
<http://aisel.aisnet.org/acis2002/39>

This material is brought to you by the Australasian (ACIS) at AIS Electronic Library (AISeL). It has been accepted for inclusion in ACIS 2002 Proceedings by an authorized administrator of AIS Electronic Library (AISeL). For more information, please contact elibrary@aisnet.org.

Free Speech for Tourists

Michael Dittenbach⁽¹⁾

Dieter Merkl⁽²⁾

Helmut Berger⁽¹⁾

⁽¹⁾ Electronic Commerce Competence Center – EC3
Donau-City-Strasse 1, A-1220
Wien, Austria
michael.dittenbach@ec3.at

⁽²⁾ Institut für Softwaretechnik und Interaktive Systeme
Technische Universität Wien
Favoritenstraße 9-11/188, A-1040
Wien, Austria

Abstract

In this paper we report on the application of a natural language search interface in the tourism domain for searching for accommodation throughout Austria. We describe the analysis of real-world queries obtained by a field test where our interface has been made publicly available through the largest Austrian web-based tourism platform Tiscover. This analysis shows how users formulate queries when they are not limited by search interfaces with structured forms consisting of check boxes, radio buttons and special-purpose text fields.

Keywords

Tourism information system, natural language processing, user behaviour study

INTRODUCTION

The development and availability of efficient and appropriate search functions are still a challenge in the field of database and information systems. Consider, for example, the context of tourism information systems where intuitive search functionality plays a crucial role for the economic success. Querying an information system in natural language is especially appealing in the tourism domain because users usually have very different backgrounds regarding computer literacy. Hardly any computer scientist or technically interested person has problems understanding the Boolean logic underlying conventional web search engines. Unfortunately, a growing majority of people using search engines has.

An analysis of query logs of the search engine *Excite* has shown that, in practice, only 9% of the queries contain Boolean operators or the modifiers “+” and “-” (Jansen *et al.*, 1998). The latter two require that a query term must or must not be present in the searched pages. Although big web search engines like *Google*, *AltaVista* and of course thousands of smaller site-specific search facilities have the same superficial appearance, they tend to interpret queries with subtle differences that can lead to searches not meeting the user’s intention. Without further information, one cannot be sure if a query is treated case sensitive or not, or how the keywords are connected logically, i.e. if all or any of the terms have to apply (Shneiderman *et al.*, 1998).

To take away the fear of this rather technical way of searching for information, natural language should present a convenient form of interaction with such systems. In particular, we foresee the following benefits for the user. She or he is relieved from the burden of either strictly logical or highly structured query languages. The user could interact naturally with the system, using her or his style of description of the needed information. Obviously, this should be expected to be of special importance in the tourism sector where people are often characterised by having rather unstructured imagination of their information need (O’Brien, 2001).

Hence, we have developed a natural language interface for the largest Austrian web-based tourism platform *Tiscover*¹ (Pröll *et al.*, 1998). *Tiscover* is a well-known tourism information system and booking service in Europe that already covers more than 50,000 accommodations in Austria, Germany, Liechtenstein and Switzerland. It integrates a variety of additional services like live weather reports, event booking, special holiday package offers, route planning and a job market.

More specifically, this interface allows users to search for accommodations throughout Austria by formulating the query in a natural language sentence either in German or English (Berger *et al.*, 2001). The language of the query is automatically detected and the result is presented in the respective language. For the task of natural language query analysis we followed the assumption that shallow natural language processing is sufficient in restricted and well-defined domains (Nielsen, 1993). In particular, our approach relies on the selection of query concepts followed by syntactic and semantic analysis of the portion of the natural language query where the concepts appear.

During 10 days of March 2002, we tested the assumptions behind the natural language interface in a field trial where the interface was accessible via a hyperlink from the *Tiscover* homepage. The time for the trial was chosen deliberately because close to vacation periods, as the Easter week in our case, the traffic at a web-based tourism information system is higher than during other times. The major objectives for the field trial were, first, to verify whether or not users accept natural language interaction. That means we are interested if the users actually type natural language sentences to describe their information needs. Second, we hoped for a broad spectrum of natural language requests for tourism information, now that the users are no longer biased by available tick-boxes, radio buttons or selection lists. Finally, we were interested in the practical performance of the natural language interface given a real-world setting.

In this paper, we will put main emphasis on our findings from the analysis of the natural language queries collected and processed during the field trial. The remainder of this paper is organised as follows. In the second section we provide a very brief overview of the steps in natural language query processing. The third section outlines the design goals for the interface. Then, the fourth section provides a description of the data collected during the field trial as well as the consequences that can be drawn from this data. Finally, the last section gives some conclusions.

NATURAL LANGUAGE PROCESSING


For the sake of brevity, we will describe in this section only the logical sequence of processing steps during natural language query analysis. We refer the reader who is interested in more general aspects of natural language information systems to Androutsopoulos *et al.* (1995), Dale *et al.* (2000), Jurafsky and Martin (2000), Manning and Schütze (1999). When a query is sent to the natural language processing module, in a first step, the language of the query has to be identified. Currently we support German and English, but the system has been designed to allow for easy integration of additional languages. The language identification is based on a text classification approach using *n-gram* statistics (Cavnar and Trenkle, 1994). The numbers of *n-grams* in a query are compared with *n-gram* distributions of German and English texts. Depending on the similarity between those, the language is chosen. However, if both languages are nearly equally probable, the system returns that the language of the query cannot be determined and asks the user to rephrase her or his query.

Next, to improve the retrieval performance, potential orthographic errors and misspellings have to be considered. Therefore, we used a phonetic algorithm to find and correct such errors, e.g. "*Insbruck*" will be replaced by the correct city's name "*Innsbruck*". An important issue regarding tourism information is to automatically identify proper names consisting of more than one word, e.g. "*St. Anton am Arlberg*", without having the user to enclose it with quotes. This also applies to phrases and multi-word denominations like "*swimming pool*" or "*car park*" to name but a few. We chose a regular expression approach to identify such

¹ <http://www.tiscover.com>

cases. In the next query-processing step, the relevant concepts and modifiers have to be tagged. For this purpose, we have developed an XML-based ontology covering the semantics of domain specific concepts and modifiers and describing linguistic concepts like synonymy. Additionally, a lightweight grammar describes how certain concepts may be modified by prepositions and adverbial or adjectival structures that are also specified in the ontology. Finally, the query has to be transformed into an SQL statement to retrieve information from the database. Using the tagged concepts and modifiers together with the rule set and parameterised SQL fragments also defined in the knowledge base allows the construction of a complete SQL statement reflecting the natural language query.

As an example consider the query “I am looking for a hotel in St. Abton am Arlberg with sauna and a swimming pool. The hotel should furthermore be suitable for children and pets should be allowed.” As can be seen, the query contains several misspellings such as “hotel”, “Abton” and “swimming pool”. After correcting these, the relevant concepts of this sample query are “hotel”, St. Anton am Arlberg”, “sauna”, “swimming pool”, “suitable for children” and “pets allowed”. A generic XML description of the matching accommodations is created to allow for device-dependent output, customised according to features like screen size or bandwidth. Our information system covers a part of the Tiscover database, which, as of October 2001, provides access to information about 13,117 Austrian accommodation venues. These are described by a large number of properties including the respective numbers of various room types, different facilities and services provided in the accommodation, or even the type of food.



(a) Natural language query interface

(b) Standard *Tiscover* interface for searching accommodation venues

Figure 1: Tiscover accommodation search interfaces

These accommodation venues are located in 1,923 towns and cities that are again described by various features, mainly information about possible sports activities, e.g. mountain biking or skiing, but also the number of inhabitants or the sea level. The federal states of Austria are the higher-level geographical units. For a part of the data, we integrated the geographical coordinates of the cities and towns to additionally provide information about the distance between places. Hence, the system can be queried for accommodations *close* to a certain place.

DESIGN CONSIDERATIONS FOR THE WEB-BASED INTERFACE

In Figure 1(a) a screen shot of our interface is depicted. A simple and easy to use interface was our major design goal. Hence, we provided only short textual descriptions in both German and English, a text area in which the user can enter the query and the submit button. The sample query “*I am looking for a double room in the center of Salzburg with indoor pool.*” is the only hint on the capabilities of the interface. The intention was to cover a broad range of accommodation requests and to find out what the user really wants. We wanted to avoid narrowing the user’s imagination when formulating a query, admittedly, with the risk of disappointing the user when no or inappropriate results were found.

Figure 1(b) shows the conventional interface of *Tiscover* for searching accommodation venues. The area (federal state, region, city) can be chosen either by typing the name directly into the text field or via clicking through the hierarchy of place names. Further criteria are the name of the accommodation, the chain it belongs to and, perhaps, a particular “theme”, e.g. family hotel, as well as several amenities the accommodation should provide. Note, this list of amenities is rather small compared to the complete information of the *Tiscover* database to keep the interface concise.

We also implemented the look and feel of the *Tiscover* design in order to avoid distraction from the user’s task. On the result screen (see Figure 2), we provide the original query as well as the concepts identified by the natural language processing to provide the user with feedback regarding the quality of natural language analysis. Below the list of accommodation venues matching the criteria, we have provided a feedback form where users can enter a comment and rate the quality of the result. After the field test, it turned out that only 3.37% of the queries have either been annotated or rated where the number of positive and negative comments was nearly equal. Due to the unsupervised nature of the test without any reward for the test persons, this figure is not surprising considering the additional time it takes to assess the quality of the result and then comment on it. At the bottom of the page, the input field filled with the posed query is presented to allow for convenient query reformulation or refinement. About 10% of the queries were modified, by adding or deleting parts of the original query.




Figure 2: Result page with matching accommodations and feedback form

FIELD TEST

The field test was carried out from March 15 to 25, 2002. During this time our natural language interface was promoted on and linked from the main *Tiscover* homepage. We obtained 1,425 unique queries through our interface, i.e. equal queries from the same client host have been reduced to one entry in the query log to eliminate a possible bias for our evaluation of the query complexity. In Table 1, a list of countries and the respective numbers of queries is shown. Naturally, most of the queries (39.73%) came from Austrian hosts, followed by hosts from the *.net* top-level domain, most of which have been identified as German internet service providers by manual inspection. After the 13.13% of queries from the US commercial domain several European countries can be found. A country could not be assigned to 20.42% of the queries because of a non-resolvable domain name.

Of those 1,425 unique queries, 1,213 (85.12%) were German, 120 (8.42%) were English and 92 (6.46%) were not identifiable, e.g. non-sentence queries like "*hotel salzburg*" that are possible in both languages or just nonsense like "*ghsdfkjg*". Based on the 1,333 identified queries we found 85 queries that were not in the scope of our natural language interface. Among these were, for example, questions about used cars or sex among other topics that could not be answered by the system. Obviously, in any kind of publicly available service like this, not 100% of the people are using it for the intended purpose. However, this number is rather low assuming the rather short description we displayed on the start page to give an idea what kind of information can be queried.

# of queries (%)	Country	# of queries (%)	Country
566 (39.73%)	Austria	6 (0.42%)	Luxembourg
229 (16.07%)	.net (mostly German ISPs)	5 (0.35%)	Hungary
187 (13.13%)	US commercial	4 (0.28%)	Belgium
70 (4.91%)	Germany	2 (0.14%)	South Africa
22 (1.54%)	Switzerland	2 (0.14%)	Australia
17 (1.19%)	Italy	1 (0.07%)	US military
14 (0.98%)	Netherlands	1 (0.07%)	France
8 (0.56%)	UK	291 (20.42%)	Unknown (not resolved)

Table 1: Origin of queries (derived from the top-level domain of the accessing host)

To provide some technical information, for the 1,333 processed queries, the mean processing time was 2.63 seconds with a standard deviation of 1.42 seconds. The median of 2.27 seconds shows that there were only a few outliers with longer processing times. Given these figures, we can say that our system is usable regarding its response time. Even with adding a few seconds for data transmission time over the Internet, the response time still lies below the maximum of ten seconds as suggested by Nielsen (2000). These ten seconds have been measured in usability studies as the approximate maximum attention span of users when waiting for a web page to be loaded before cancelling the request.

We will compare the results of two studies analysing query log files of the large and popular search engines *AltaVista* and *Excite* with the results of our analysis, since only few research papers dealing with user behaviour in web searches exist. Silverstein *et al.* (1998) and Jansen *et al.* (1998) have shown that, the average number of words per query is very small, namely 2.35, interestingly the same in both studies. This indicates that most of the people searching for information on the Internet could improve the quality of the results by specifying more query terms. Our field test revealed the amazing result of an average query length of 8.90 words for German queries, and of 6.53 for the English queries. In more than a half (57.05%) of the 1,425 queries, users formulated complete, grammatically correct sentences whereas only 21.69% used our interface like a keyword-based search engine. The remaining set of queries (21.26%) were partial sentences like "*double room for 2 nights in Vienna*". This approves our assumption that users accept and are willing to type more than just a few keywords to search for information. Furthermore, the average number of relevant concepts occurring in the German queries is 3.41 with a standard deviation of 1.96, which is still one word per query more than found in the surveys mentioned above. It can be

assumed, that, by formulating a query in natural language, users are more specific than compared to keyword-based searches.

To inspect the complexity of the queries, we considered the number of concepts and the usage of modifiers like “and”, “or”, “not”, “near” and some combinations of those as quantitative measures. Consider row four of Table 2. The entries in this row show the number of queries with three concepts. In particular, we have 310 German and 28 English queries. Note that these figures were derived by manual inspection of the users’ original natural language queries. The majority of German queries contain one to five concepts relevant to the tourism domain with a few outliers of more than 10 concepts. The latter can be explained by people asking for an accommodation in a specific region by enumerating potentially interesting cities and villages.

Tables 3(a) and 3(b) give an indication regarding the quality of the natural language query analysis where, Table 3(a) provides the numbers of identified concepts per query and Table 3(b) of unidentified concepts. Again, the figures given in Table 3(b) were derived by manual inspection. We shall note that most of the concepts not identified, originated from queries falling into the categories of region names, pricing information, room availability and arrival and departure dates. This information was not contained in the part of the database used for our natural language system. Another aspect of the complexity of natural language queries are words connecting concepts logically or modifying their meaning. These modifiers can be compared to operators like “AND”, “OR”, “+” or “-” of web search engines. In Table 4(a) we can see that the distribution of occurrences of the modifier “and” corresponds to the number of concepts. In 320 queries the modifier “and” was used two times which relates to the occurrence of three concepts per query (c.f. Table 2). The occurrence statistic includes all implicitly used modifiers “and” as well as those explicitly defined. The query “I am looking for a hotel with sauna, solarium and whirlpool in Tyrol” includes one explicitly used “and”, and three implicit “and” modifiers.

Concepts	Query language		
	German	English	Totals
0	47	5	52
1	77	28	105
2	272	38	310
3	310	28	338
4	245	12	257
5	137	5	142
6	49	2	51
7	38	1	39
8	18	1	19
9	11	0	11
10	4	0	4
11	1	0	1
17	3	0	3
21	1	0	1
Totals	1,213	120	1,333

Table 2: Total concepts per query (counted by manual inspection of the query)

Due to the assumption that the underlying semantics of combining concepts is based on the intention to provide facilities somebody wants to have, we defined the “and” modifier to be the default logic for combining concepts if no explicitly defined modifier is present. This assumption is made to provide a convenient technique to map the concepts used in a query onto the underlying program logic. The modifier “or” is used far less than “and”, as shown in Table 4(b). “Or” is mostly used to provide a set of locations or types of accommodations of interest, e.g. “I am looking for a farm or an apartment in Tyrol or Salzburg”. An interesting

fact is, that the “*not*”-modifier is used in a very small subset of queries (*c.f.* Table 4(c)). The modifier “*not*” occurs in only 19 German queries. This implies, that the vast majority of users formulate their intentions without the need of excluding concepts. In most of the cases where a “*not*” is used to exclude a specific property of a region or an accommodation, users wanted to avoid places where pets are allowed as well as quiet accommodations without children. Another common use of “*not*” was to exclude one or more cities from a query where an accommodation in a federal state or region was wanted, e.g. “*I am looking for a hotel in Tyrol, but not inInnbruck and not in Zillertal.*”

Concepts	Query language		
	German	English	Totals
0	71	14	85
1	104	27	131
2	326	39	365
3	312	24	336
4	201	10	211
5	106	2	108
6	50	2	52
7	19	2	21
8	13	0	13
9	6	0	6
10	1	0	1
16	3	0	3
20	1	0	1
Totals	1,213	120	1,333

(a) Concepts identified by the natural language processing

Concepts	Query language		
	German	English	Totals
0	817	88	905
1	348	29	377
2	45	3	48
3	3	0	3
Totals	1,213	120	1,333

(b) Concepts not identified by the natural language processing

Table 3: Concepts that have been identified or not been identified by the natural language processing module of our interface

And	Query language		
	German	English	Totals
1	281	38	319
2	320	29	349
3	246	11	257
4	140	6	146
5	41	1	42
6	33	1	34
7	16	0	16
8	4	0	4
9	2	0	2
10	1	0	1
Totals	1,084	86	1,170

(a) Usage of modifier *and*

Or	Query language		
	German	English	Totals
1	67	4	71
2	18	1	19
3	6	1	7
6	1	0	1
8	1	0	1
12	3	0	3
16	1	0	1
Totals	97	6	103

(b) Usage of modifier *or*

Not	Query language		
	German	English	Totals
1	12	3	15
2	7	0	7
Totals	19	3	22

(c) Usage of modifier *not*

Near	Query language		
	German	English	Totals
1	112	9	121
2	0	1	1
Totals	112	10	122

(d) Usage of modifier *near*

Table 4: Usage of modifiers and, or, not, near

Table 4(d) shows the number of occurrences of the modifier “*near*” which has been expressed by terms like “*around*”, “*close to*” or “*near*” itself. Generally, geographical concepts or relations are essential to provide a high-quality tourism information service. Comparing the modifier usage statistics a remarkable detail is noticeable. In 122 out of 1425 queries (8.6%) the modifier “*near*” is used. This circumstance makes “*near*” to the modifier second most frequently used, in the queries collected during the field trial. A common way to use “*near*” is to find accommodations in the surroundings of popular sites, cities or facilities, e.g. “*I am looking for a hotel with sauna and pool in St. Anton near the Galzig-Seilbahn*”. Furthermore, we can see, that only a very small number of queries consists of concepts combined with “*or*” (103 out of 1,425), only 22 queries contains the modifier “*not*”.

Table 5(a) illustrates the combined usage of the modifiers “*and*” and “*or*”. Most commonly used is a combination of one “*or*” and several “*and*” modifiers, e.g. two “*and*” and one “*or*” are used in 17 German queries. As shown in Table 5(b), the usage of “*near*” corresponds with the presence of an “*and*” modifier.

We can say that the sentence complexity, i.e. the frequency of concept combination, is relatively low. In general, queries are formulated on the basis of combining concepts in a simple manner, e.g. “*I am looking for a room with sauna and steam bath in Kirchberg*”. Only a small subset of queries consist of complex sentence constructs that require a more sophisticated sentence evaluation process. For instance, if the scope or type of the modifier cannot be determined correctly. As an example, consider the query “*I am looking for an accommodation in Serfaus, Fiss or Ladis*”. In contrast to the assumption that the default operator of combining concepts is “*and*”, the modifier “*or*” must be used to combine the geographical concepts in this sample query.

The fact that the level of sentence complexity is not very high suggests, that shallow text parsing should be sufficient to analyse the queries emerging in a limited domain like tourism. Nevertheless, we found out that regions or local attractions are important information that has to be integrated in such systems. We also noticed that users’ queries contained vague or highly subjective criteria like “*romantic*”, “*wellness*”, “*cheap*” or “*within walking distance to*”. These concepts are difficult to model in the knowledge base of information systems and pose a challenge for the future.

CONCLUSIONS

Web-based tourism information systems are faced with a highly inhomogeneous mix of potential queries. The reason, obviously, has to do with the tourism domain because, practically speaking, almost everybody is a tourist sometimes. Hence, people with highly different backgrounds regarding their language, their exact description of information needs, or their computer literacy, to name but a few, are the customers of a web-based tourism information system. To cope with this situation we designed a multilingual natural language query interface for *Tiscover*, the largest Austrian tourism platform. By way of this interface, the user can search for more than 13,000 accommodations in about 2,000 towns throughout Austria.

In this paper we have discussed the findings from field test where we collected about 1,400 queries, most of which were in German. Most importantly, the users are willing to type natural language queries to express their information needs. This observation is approved by a comparison with web-search engines, where the average number of words per query is substantially smaller than with our tourism information system. The complexity of our queries

is higher than the web search-engines. We have shown the distribution of various modifier combinations extracted from the queries. Third, our expectation that shallow language processing is sufficient given a limited application domain is backed by the fact that most of the query concepts that had their counterpart in the knowledge base were successfully extracted from the natural language query. Fourth, by way of this field test allowing natural language descriptions of information needs as opposed to the strictly limited variability of tabular-based information entry, we have got an impression of what the customers actually look for. Among the most important things we just mention geographic information as when you describe the location of your preferred accommodation relative to some geographical landmarks. This gives enough room for interesting future research to improve the knowledge base of the system and thus to better serve the customers.

		Query language		
And	Or	German	English	Totals
1	1	9	1	10
	2	3	0	3
2	1	17	2	19
	2	3	0	3
3	1	16	0	16
	2	5	0	5
	3	2	1	3
	6	1	0	1
4	1	12	1	13
	2	3	0	3
	12	3	0	3
	16	1	0	1
5	1	8	0	8
	2	1	1	2
	3	2	0	2
6	1	2	0	2
	2	2	0	2
	3	2	0	2
7	1	2	0	2
8	1	1	0	1
	2	1	0	1
Totals		96	6	102

(a) Combined usage of modifiers *and* and *or*

		Query language		
And	Near	German	English	Totals
1	1	18	1	19
2	1	32	2	34
3	1	26	1	27
4	1	21	4	25
	5	7	0	7
5	2	0	1	1
	6	2	1	3
7	1	2	0	2
8	1	1	0	1
Totals		109	10	119

(b) Combined usage of modifiers *and* and *near*

Table 5: Combined usage of modifiers

REFERENCES

- Androutsopoulos, I., Ritchie, G.D., and Thanisch, P. (1995) Natural language interfaces to databases - an introduction. *Journal of Natural Language Engineering*, 1(1):29-81.
- Berger, H., Dittenbach, M., Merkl, D., and Winiwarter, W. (2001) Providing multilingual natural language access to tourism data. In *Proc. of the 3rd International Conference on Information Integration and Web-based Applications and Services (IIWAS 2001)*, Linz, Austria, September.
- Cavnar, W. B. and Trenkle, J. M. (1994) N-gram-based text categorization. In *Proc. of the 3rd Int'l Symposium on Document Analysis and Information Retrieval (SDAIR'94)*, Las Vegas, NV.

- Dale, R., Moisl, H., and Somers, H., editors. (2000) Handbook of Natural Language Processing. Marcel Dekker, New York, NY.
- Jansen, B. J., Spink, A., Bateman, J., and Saracevic, T. (1998) Real life information retrieval: A study of user queries on the web. SIGIR Forum, 32(1):5-17.
- Jurafsky, D. and Martin, J. H. (2000) Speech and Language Processing. Prentice Hall, Upper Saddle River, NJ.
- Manning, C. D. and Schütze, H. (1999) Foundations of Statistical Natural Language Processing. MIT Press, Cambridge, MA.
- Nielsen, J. (1993) Noncommand user interfaces. Communications of the ACM, 36(4):83-99, April.
- Nielsen, J. (2000) Designing Web Usability: The Practice of Simplicity. New Riders Publishing.
- O'Brien, P. (2001) Dynamic travel itinerary management: The ubiquitous travel agent. In Proc. of the 12th Australasian Conference on Information Systems (ACIS 2001), Coffs Harbour, Australia.
- Pröll, B., Retschitzegger, W., Wagner, R. R., and Ebner, A. (1998) Beyond traditional tourism information systems - TIScover. Information Technology and Tourism, 1.
- Shneiderman, B., Byrd, D., and Croft, W. B. (1998) Sorting out searching. Communications of the ACM, 41 (4):95-98, April.
- Silverstein, C., Henzinger, M., Marais, H., and Moricz, M. (1998) Analysis of a very large AltaVista query log. Technical Report 1998-014, digital Systems Research Center.

ACKNOWLEDGEMENTS

We want to thank the people at *Tiscover*, especially Konrad Plankensteiner, Claudia Bär, Reinhard Hauer and Andreas Bacher, for providing the data and for the good cooperation in carrying out the field test.

COPYRIGHT

Michael Dittenbach, Dieter Merkl and Helmut Berger © 2002. The authors assign to ACIS and educational and non-profit institutions a non-exclusive licence to use this document for personal use and in courses of instruction provided that the article is used in full and this copyright statement is reproduced. The authors also grant a non-exclusive licence to ACIS to publish this document in full in the Conference Papers and Proceedings. Those documents may be published on the World Wide Web, CD-ROM, in printed form, and on mirror sites on the World Wide Web. Any other usage is prohibited without the express permission of the authors.